Sign in

Google

 Web
 Images
 Video
 News
 Maps
 more »

 jail kernel IPC create communication object id/Preferences
 Search
 Advanced Search Preferences

Web Results 1 - 10 of about 31,700 for jail kernel IPC create communication object identifier. (0.37 seconds)

Did you mean: jail kernel IPCcreate communication object identifier

EP1475707 Sun european software patent - Method and apparatus for ... In other words, once the process creating the Jail (and its progeny, ... In block 338, a communications object identifier and a unique zone identifier of ... gauss.ffii.org/PatentView/EP1475707 - 103k - Cached - Similar pages

EP1475703 Sun european software patent - Method and apparatus for ... In other words, once the process creating the Jail (and its progeny, ... process table from an operating system kernel selected based upon the identifier is ... gauss.ffii.org/PatentView/EP1475703 - 93k - Cached - Similar pages

Method and apparatus for interprocess communications - Patent ...

The method of claim 3, wherein the communications object identifier comprises at ... In other words, once the process creating the Jail (and its progeny, ... www.freepatentsonline.com/EP1475707.html - 94k - Cached - Similar pages

## An Introduction to Virtualization

When the same **kernel** runs on a virtual machine, this behavior is undesirable, ... The FreeBSD "jail" mechanism allows you to **create** an isolated existing ... www.**kernel**thread.com/publications/virtualization/ - 71k - Cached - Similar pages

# [PDF] Proceedings of the Linux Symposium Volume One

File Format: PDF/Adobe Acrobat - View as HTML

than the additional **kernel** state needed to track. a **jail**. ... ownership and removing any **ipc object**. Allowing for multiple instances of the **ipc** ...

https://ols2006.108.redhat.com/reprints/biederman-reprint.pdf - <u>Similar pages</u>

### [PDF] Security in a mobile agent system - Multi-Agent Security and ...

File Format: PDF/Adobe Acrobat

An agent only sees an **object**'s entity-**identifier**. (EntityID), an index relative to the room, ... agent is shipped to another AOS kernel. Prior to send- ... ieeexplore.ieee.org/iel5/9437/29953/01368416.pdf?arnumber=1368416 - Similar pages

#### IPDFI Automated and Safe Vulnerability Assessment

File Format: PDF/Adobe Acrobat - View as HTML

process communication (IPC) mechanisms to share data or. facilitate process synchronization. ... cessing a named kernel object, another instance of the same ... www.acsa-admin.org/2005/papers/180.pdf - Similar pages

#### PERFORCE change 34992 for review

The **kernel** section is doing quite well (VFS and networking need work); ... and intentional **communication** + channels (such as files, IPC primitives, etc). ... lists.freebsd.org/pipermail/trustedbsd-cvs/2003-July/001329.html - 53k - Cached - Similar pages

Fultus Technical Documentation and Professional Literature eLibrary
Bulding and Installing a FreeBSD Kernel ... Firewall-1 Network Object Configuration ...
Creating a Software Testing Environment Using FreeBSD ...
elibrary.fultus.com/technical/ - 977k - Cached - Similar pages

## A PicoBSD kernel walk

Routine sendsig() is used by the kernel to create the new signal context and ... The jail syscall allocates a struct prison and attaches it to the PCB via ... 63.249.85.132/kern\_code\_walk.htm - 265k - Cached - Similar pages

Did you mean to search for: jail kernel IPCcreate communication object identifier

Result Page: 1 <u>2 3 4 5 6 7 8 9 10</u> **Next** 

Download Google Pack: free essential software for your PC

jail kernel IPC create communication Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

©2007 Google